



Stahovací pouzdra

Průměr hřídele 35 – 85 mm



Průměr hřídele (mm)	Jmenovitý průměr díry ložiska (mm)	Označení	Závit	Rozměry (mm)			Hmotnost (kg)
				d_1	d	Použitelná ložiska	
35	40	21308EAKE4 + AH308	M 45 × 1,5	29	6	32	0,09
	40	22308EAKE4 + AH2308	M 45 × 1,5	40	7	43	0,13
40	45	21309EAKE4 + AH309	M 50 × 1,5	31	6	34	0,11
	45	22309EAKE4 + AH2309	M 50 × 1,5	44	7	47	0,165
45	50	21310EAKE4 + AHX310	M 55 × 2	35	7	38	0,16
	50	22310EAKE4 + AHX2310	M 55 × 2	50	9	53	0,235
50	55	22211EAKE4 + AHX311	M 60 × 2	37	7	40	0,19
	55	21311EAKE4 + AHX311	M 60 × 2	37	7	40	0,19
	55	22311EAKE4 + AHX2311	M 60 × 2	54	10	57	0,285
55	60	22212EAKE4 + AHX312	M 65 × 2	40	8	43	0,215
	60	21312EAKE4 + AHX312	M 65 × 2	40	8	43	0,215
	60	22312EAKE4 + AHX2312	M 65 × 2	58	11	61	0,34
60	65	22213EAKE4 + AH313	M 75 × 2	42	8	45	0,255
	65	21313EAKE4 + AH313	M 75 × 2	42	8	45	0,255
	65	22313EAKE4 + AH2313	M 75 × 2	61	12	64	0,395
65	70	22214EAKE4 + AH314	M 80 × 2	43	8	47	0,28
	70	21314EAKE4 + AH314	M 80 × 2	43	8	47	0,28
	70	22314EAKE4 + AHX2314	M 80 × 2	64	12	68	0,53
70	75	22215EAKE4 + AH315	M 85 × 2	45	8	49	0,315
	75	21315EAKE4 + AH315	M 85 × 2	45	8	49	0,315
	75	22315EAKE4 + AHX2315	M 85 × 2	68	12	72	0,605
75	80	22216EAKE4 + AH316	M 90 × 2	48	8	52	0,365
	80	21316EAKE4 + AH316	M 90 × 2	48	8	52	0,365
	80	22316EAKE4 + AHX2316	M 90 × 2	71	12	75	0,665
80	85	22217EAKE4 + AHX317	M 95 × 2	52	9	56	0,48
	85	21317EAKE4 + AHX317	M 95 × 2	52	9	56	0,48
	85	22317EAKE4 + AHX2317	M 95 × 2	74	13	78	0,745
85	90	22218EAKE4 + AHX318	M 100 × 2	53	9	57	0,52
	90	21318EAKE4 + AHX318	M 100 × 2	53	9	57	0,52
	90	23218CKE4 + AHX2318	M 100 × 2	63	10	67	0,58
	90	22318EAKE4 + AHX2318	M 100 × 2	79	14	83	0,845

Průměr hřídele 90 – 135 mm




Průměr hřídele (mm)	Jmenovitý průměr díry ložiska (mm)	Označení	Závit	Rozměry (mm)			Hmotnost (kg)
				B ₃	G ₁	B ₄	
d ₁	d	Použitelná ložiska	G	B ₃	G ₁	B ₄	přibližně
90	95	22219EAKE4 + AHX319	M 105 × 2	57	10	61	0,595
	95	21319CKE4 + AHX319	M 105 × 2	57	10	61	0,595
	95	22319EAKE4 + AHX2319	M 105 × 2	85	16	89	0,89
95	100	21320CKE4 + AHX3120	M 110 × 2	64	11	68	0,70
	100	22220EAKE4 + AHX320	M 110 × 2	59	10	63	0,66
	100	21320CKE4 + AHX320	M 110 × 2	59	10	63	0,66
105	100	23220CKE4 + AHX3220	M 110 × 2	73	11	77	0,77
	100	22320EAKE4 + AHX2320	M 110 × 2	90	16	94	1,0
	110	23122CKE4 + AHX3122	M 120 × 2	68	11	72	0,76
	110	22222EAKE4 + AHX3122	M 120 × 2	68	11	72	0,76
	110	24122CK30E4 + AH24122	M 115 × 2	82	13	91	0,73
115	110	23222CKE4 + AHX3222	M 125 × 2	82	11	86	1,04
	110	22322EAKE4 + AHX2322	M 125 × 2	98	16	102	1,35
	120	23024CDKE4 + AHX3024	M 130 × 2	60	13	64	0,75
	120	24024CK30E4 + AH24024	M 125 × 2	73	13	82	0,70
	120	23124CKE4 + AHX3124	M 130 × 2	75	12	79	0,95
	120	22224EAKE4 + AHX3124	M 130 × 2	75	12	79	0,95
125	120	24124CK30E4 + AH24124	M 130 × 2	93	13	102	1,02
	120	23224CKE4 + AHX3224	M 135 × 2	90	13	94	1,3
	120	22324EAKE4 + AHX2324	M 135 × 2	105	17	109	1,6
	130	23026CDKE4 + AHX3026	M 140 × 2	67	14	71	0,95
	130	24026CK30E4 + AH24026	M 135 × 2	83	14	93	0,89
	130	23126CKE4 + AHX3126	M 140 × 2	78	12	82	1,08
	130	22226EAKE4 + AHX3126	M 140 × 2	78	12	82	1,08
135	130	24126CK30E4 + AH24126	M 140 × 2	94	14	104	1,14
	130	23226CKE4 + AHX3226	M 145 × 2	98	15	102	1,58
	130	22326CKE4 + AHX2326	M 145 × 2	115	19	119	1,97
	140	23028CDKE4 + AHX3028	M 150 × 2	68	14	73	1,01
	140	24028CK30E4 + AH24028	M 145 × 2	83	14	93	0,96
	140	23128CKE4 + AHX3128	M 150 × 2	83	14	88	1,28
140	140	22228CDKE4 + AHX3128	M 150 × 2	83	14	88	1,28
	140	24128CK30E4 + AH24128	M 150 × 2	99	14	109	1,3
	140	23228CKE4 + AHX3228	M 155 × 3	104	15	109	1,84
	140	22328CKE4 + AHX2328	M 155 × 3	125	20	130	2,33




Stahovací pouzdra

Průměr hřídele 145 - 180 mm



Průměr hřídele (mm) d_1	Jmenovitý průměr díry ložiska (mm) d	Označení Použitelná ložiska	Závit G	Rozměry (mm)			Hmotnost (kg) přibližně
				B_3	G_1	B_4	
145	150	23030CDKE4 + AHX3030	M 160 × 3	72	15	77	1,15
	150	24030CK30E4 + AH24030	M 155 × 3	90	15	101	1,11
	150	23130CKE4 + AHX3130	M 165 × 3	96	15	101	1,79
	150	22230CDKE4 + AHX3130	M 165 × 3	96	15	101	1,79
	150	24130CK30E4 + AH24130	M 160 × 3	115	15	126	1,63
	150	23230CKE4 + AHX3230	M 165 × 3	114	17	119	2,22
150	160	22330CAKE4 + AHX2330	M 165 × 3	135	24	140	2,82
	160	23032CDKE4 + AH3032	M 170 × 3	77	16	82	2,05
	160	24032CK30E4 + AH24032	M 170 × 3	95	15	106	2,28
	160	23132CKE4 + AH3132	M 180 × 3	103	16	108	3,2
	160	22232CDKE4 + AH3132	M 180 × 3	103	16	108	3,2
	160	24132CK30E4 + AH24132	M 170 × 3	124	15	135	3,03
160	160	23232CKE4 + AH3232	M 180 × 3	124	20	130	4,1
	160	22332CAKE4 + AH2332	M 180 × 3	140	24	146	4,7
	170	23034CDKE4 + AH3034	M 180 × 3	85	17	90	2,45
	170	24034CK30E4 + AH24034	M 180 × 3	106	16	117	2,74
	170	23134CKE4 + AH3134	M 190 × 3	104	16	109	3,4
	170	22234CDKE4 + AH3134	M 190 × 3	104	16	109	3,4
170	170	24134CK30E4 + AH24134	M 180 × 3	125	16	136	3,26
	170	23234CKE4 + AH3234	M 190 × 3	134	24	140	4,8
	170	22334CAKE4 + AH2334	M 190 × 3	146	24	152	5,25
	180	23036CDKE4 + AH3036	M 190 × 3	92	17	98	2,8
	180	24036CK30E4 + AH24036	M 190 × 3	116	16	127	3,19
	180	23136CKE4 + AH3136	M 200 × 3	116	19	122	4,2
180	180	24136CK30E4 + AH24136	M 190 × 3	134	16	145	3,74
	180	22236CDKE4 + AH2236	M 200 × 3	105	17	110	3,75
	180	23236CKE4 + AH3236	M 200 × 3	140	24	146	5,3
	180	22336CAKE4 + AH2336	M 200 × 3	154	26	160	5,85
	190	23038CAKE4 + AH3038	Tr 205 × 4	96	18	102	3,35
	190	24038CK30E4 + AH24038	M 200 × 3	118	18	131	3,47
180	190	23138CKE4 + AH3138	Tr 210 × 4	125	20	131	4,9
	190	24138CK30E4 + AH24138	M 200 × 3	146	18	159	4,38
	190	22238CAKE4 + AH2238	Tr 210 × 4	112	18	117	4,25
	190	23238CKE4 + AH3238	Tr 210 × 4	145	25	152	5,9
	190	22338CAKE4 + AH2338	Tr 210 × 4	160	26	167	6,65

Průměr hřídele 190 – 260 mm




Průměr hřídele (mm) d_1	Jmenovitý průměr díry ložiska (mm) d	Označení Použitelná ložiska	Závit G	Rozměry (mm)			Hmotnost (kg) přibližně
				B_3	G_1	B_4	
190	200	23040CAKE4 + AH3040	Tr 215 × 4	102	19	108	3,8
	200	24040CK30E4 + AH24040	Tr 210 × 4	127	18	140	3,92
	200	23140CKE4 + AH3140	Tr 220 × 4	134	21	140	5,5
	200	24140CK30E4 + AH24140	Tr 210 × 4	158	18	171	5,0
	200	22240CAKE4 + AH2240	Tr 220 × 4	118	19	123	4,7
	200	23240CKE4 + AH3240	Tr 220 × 4	153	25	160	6,7
200	200	22340CAKE4 + AH2340	Tr 220 × 4	170	30	177	7,55
	220	23044CAKE4 + AH3044	Tr 235 × 4	111	20	117	7,4
	220	24044CK30E4 + AH24044	Tr 230 × 4	138	20	152	8,23
	220	23144CKE4 + AH3144	Tr 240 × 4	145	23	151	10,5
	220	24144CK30E4 + AH24144	Tr 230 × 4	170	20	184	10,3
	220	22244CAKE4 + AH2244	Tr 240 × 4	130	20	136	9,1
220	220	23244CKE4 + AH2344	Tr 240 × 4	181	30	189	13,5
	220	22344CAKE4 + AH2344	Tr 240 × 4	181	30	189	13,5
	240	23048CAKE4 + AH3048	Tr 260 × 4	116	21	123	8,75
	240	24048CK30E4 + AH24048	Tr 250 × 4	138	20	153	9,0
	240	23148CKE4 + AH3148	Tr 260 × 4	154	25	161	12
	240	24148CK30E4 + AH24148	Tr 260 × 4	180	20	195	12,6
240	240	22248CAKE4 + AH2248	Tr 260 × 4	144	21	150	11
	240	23248CAKE4 + AH2348	Tr 260 × 4	189	30	197	15,5
	240	22348CAKE4 + AH2348	Tr 260 × 4	189	30	197	15,5
	260	23052CAKE4 + AH3052	Tr 280 × 4	128	23	135	10,5
	260	24052CAK30E4 + AH24052	Tr 270 × 4	162	22	178	11,7
	260	23152CAKE4 + AH3152	Tr 290 × 4	172	26	179	16
260	260	24152CAK30E4 + AH24152	Tr 280 × 4	202	22	218	15,5
	260	22252CAKE4 + AH2252	Tr 290 × 4	155	23	161	14
	260	23252CAKE4 + AH2352	Tr 290 × 4	205	30	213	19,5
	260	22352CAKE4 + AH2352	Tr 290 × 4	205	30	213	19,5
	280	23056CAKE4 + AH3056	Tr 300 × 4	131	24	139	12
	280	24056CAK30E4 + AH24056	Tr 290 × 4	162	22	179	12,6
260	280	23156CAKE4 + AH3156	Tr 310 × 5	175	28	183	17,5
	280	24156CAK30E4 + AH24156	Tr 300 × 4	202	22	219	16,8
	280	22256CAKE4 + AH2256	Tr 310 × 5	155	24	163	15
	280	23256CAKE4 + AH2356	Tr 310 × 5	212	30	220	21,5
	280	22356CAKE4 + AH2356	Tr 310 × 5	212	30	220	21,5



Pouzdra


Stahovací pouzdra

Průměr hřídele 280 – 380 mm



Průměr hřídele (mm)	Jmenovitý průměr díry ložiska (mm)	Označení	Závit	Rozměry (mm)			Hmotnost (kg)
				d_1	d	Použitelná ložiska	
280	300	23060CAKE4 + AH3060	Tr 320 × 5	145	26	153	14,5
	300	24060CAK30E4 + AH24060	Tr 310 × 5	184	24	202	15,5
	300	23160CAKE4 + AH3160	Tr 330 × 5	192	30	200	21
	300	24160CAK30E4 + AH24160	Tr 320 × 5	224	24	242	20,3
	300	22260CAKE4 + AH2260	Tr 330 × 5	170	26	178	18
	300	23260CAKE4 + AH3260	Tr 330 × 5	228	34	236	20
300	320	23064CAKE4 + AH3064	Tr 345 × 5	149	27	157	16
	320	24064CAK30E4 + AH24064	Tr 330 × 5	184	24	202	16,4
	320	23164CAKE4 + AH3164	Tr 350 × 5	209	31	217	24,5
	320	24164CAK30E4 + AH24164	Tr 340 × 5	242	24	260	23,5
	320	23264CAKE4 + AH3264	Tr 350 × 5	246	36	254	25
320	340	23068CAKE4 + AH3068	Tr 365 × 5	162	28	171	19,5
	340	24068CAK30E4 + AH24068	Tr 360 × 5	206	26	225	21,2
	340	23168CAKE4 + AH3168	Tr 370 × 5	225	33	234	29
	340	24168CAK30E4 + AH24168	Tr 360 × 5	269	26	288	28,3
340	340	23268CAKE4 + AH3268	Tr 370 × 5	264	38	273	35,5
	360	23072CAKE4 + AH3072	Tr 385 × 5	167	30	176	21
	360	24072CAK30E4 + AH24072	Tr 380 × 5	206	26	226	22,5
	360	23172CAKE4 + AH3172	Tr 400 × 5	229	35	238	33
	360	24172CAK30E4 + AH24172	Tr 380 × 5	269	26	289	30
360	360	23272CAKE4 + AH3272	Tr 400 × 5	274	40	283	41,5
	380	23076CAKE4 + AH3076	Tr 410 × 5	170	31	180	23,5
	380	24076CAK30E4 + AH24076	Tr 400 × 5	208	28	228	24,1
	380	23176CAKE4 + AH3176	Tr 420 × 5	232	36	242	35,5
	380	24176CAK30E4 + AH24176	Tr 400 × 5	271	28	291	32,1
380	380	23276CAKE4 + AH3276	Tr 420 × 5	284	42	294	45,5
	400	23080CAKE4 + AH3080	Tr 430 × 5	183	33	193	27,5
	400	24080CAK30E4 + AH24080	Tr 420 × 5	228	28	248	28
	400	23180CAKE4 + AH3180	Tr 440 × 5	240	38	250	39,5
	400	24180CAK30E4 + AH24180	Tr 420 × 5	278	28	298	34,8
	400	23280CAKE4 + AH3280	Tr 440 × 5	302	44	312	51,5

Průměr hřídele 400 – 480 mm



Průměr hřídele (mm) d_1	Jmenovitý průměr díry ložiska (mm) d	Označení Použitelná ložiska	Závit G	Rozměry (mm)			Hmotnost (kg) přibližně
				B_3	G_1	B_4	
400	420	23084CAKE4 + AH3084	Tr 450 × 5	186	34	196	29
	420	24084CAK30E4 + AH24084	Tr 440 × 5	230	30	252	29,8
	420	23184CAKE4 + AH3184	Tr 460 × 5	266	40	276	46,5
	420	24184CAK30E4 + AH24184	Tr 440 × 5	310	30	332	41,4
	420	23284CAKE4 + AH3284	Tr 460 × 5	321	46	331	59
420	440	23088CAKE4 + AHX3088	Tr 470 × 5	194	35	205	42
	440	24088CAK30E4 + AH24088	Tr 460 × 5	242	30	264	33
	440	23188CAKE4 + AHX3188	Tr 480 × 5	270	42	281	50
	440	24188CAK30E4 + AH24188	Tr 460 × 5	310	30	332	43,5
	440	23288CAKE4 + AHX3288	Tr 480 × 5	330	48	341	64
440	460	23092CAKE4 + AHX3092	Tr 490 × 5	202	37	213	46
	460	24092CAK30E4 + AH24092	Tr 480 × 5	250	32	273	35,9
	460	23192CAKE4 + AHX3192	Tr 510 × 6	285	43	296	58
	460	24192CAK30E4 + AH24192	Tr 480 × 5	332	32	355	49,7
	460	23292CAKE4 + AHX3292	Tr 510 × 6	349	50	360	74,5
460	480	23096CAKE4 + AHX3096	Tr 520 × 6	205	38	217	51
	480	24096CAK30E4 + AH24096	Tr 500 × 5	250	32	273	37,5
	480	23196CAKE4 + AHX3196	Tr 530 × 6	295	45	307	63
	480	24196CAK30E4 + AH24196	Tr 500 × 5	340	32	363	53
	480	23296CAKE4 + AHX3296	Tr 530 × 6	364	52	376	82
480	500	230/500CAKE4 + AHX30/500	Tr 540 × 6	209	40	221	54,5
	500	240/500CAK30E4 + AH240/500	Tr 530 × 6	253	35	276	41,9
	500	231/500CAKE4 + AHX31/500	Tr 550 × 6	313	47	325	71
	500	241/500CAK30E4 + AH241/500	Tr 530 × 6	360	35	383	61,2
	500	232/500CAKE4 + AHX32/500	Tr 550 × 6	393	54	405	94,5